

German Quality And Innovation

The STIHL Network

STIHL

No. 1 Selling Chainsaws Brand Worldwide



120+ Importers



20,500+ Employees



55,000+ STIHL Authorized Dealers



42+ STIHL Owned Sales Subsidiaries



For all electric & battery operated equipments



For all petrol operated equipments & electric vacuum cleaners



For water pump models WP, 300, 600, 900, power weeders MH 610, 710 & engines

Chainsaws

MS 170



Displacement	Power Output	Weight
30.1cm ³	1.3Kw/1.8hp	3.9Kg*

MS 180



Displacement	Power Output	Weight
31.8cm ³	1.5Kw/2hp	3.9Kg*

MS 194 T



Displacement	Power Output	Weight
31.8cm ³	1.4Kw/1.9hp	3.3Kg*

MS 210



Displacement	Power Output	Weight
35.2cm ³	1.6Kw/2.2hp	4.4Kg*

MS 230



Displacement	Power Output	Weight
40.2cm ³	2.0Kw/2.7hp	4.6Kg*

MS 250



Displacement	Power Output	Weight
45.4cm ³	2.3Kw/3.1hp	4.6Kg*

MS 260



Displacement	Power Output	Weight
50.2cm ³	2.6Kw/3.5hp	4.8Kg*

MS 291



Displacement	Power Output	Weight
55.5cm ³	2.8Kw/3.8hp	5.6Kg*

MS 361



Displacement	Power Output	Weight
59.0cm ³	3.4Kw/4.6hp	5.6Kg*

MS 382



Displacement	Power Output	Weight
72.2cm ³	3.9Kw/5.3hp	6.2Kg*

MS 462



Displacement	Power Output	Weight
72.2cm ³	4.4Kw/6.0hp	6.0Kg*

MS 651



Displacement	Power Output	Weight
91.1cm ³	5.0Kw/6.8hp	7.4Kg*

* Without Fuel & attachments

Chainsaws

MS 661



Petrol Operated

Displacement	Power Output	Weight
91.1cm ³	5.4Kw/7.3hp	7.4Kg*

MS 881



Petrol Operated

Displacement	Power Output	Weight
121.6cm ³	6.4Kw/8.7hp	9.8Kg*

MSE 141



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.4Kw	3.6Kg*

MSE 170



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.7Kw	3.8Kg*

MSE 190



Electric Operated

Rated Voltage	Power Output	Weight
230V	1.9Kw	3.8Kg*

MSE 210



Electric Operated

Rated Voltage	Power Output	Weight
230V	2.1Kw	4.0Kg*

MSA 60



Battery Operated

Battery	Battery Running Time	Weight
AK 20	up to 40 min	2.3Kg*

MSA 70



Battery Operated

Battery	Battery Running Time	Weight
AK 30	up to 50 min	2.7Kg*

MSA 160



Battery Operated

Battery	Battery Running Time	Weight
AP 300	up to 50 min	2.7Kg*

MSA 200



Battery Operated

Battery	Battery Running Time	Weight
AP 300 S	up to 45 min	2.9Kg*

* Battery runtime

Brushcutters



FS 55  Petrol Operated

Displacement
27.2cm³

Power Output
Time
0.75Kw/0.9hp

Weight
5.0Kg*



FS 3001  Petrol Operated

Displacement
25.4cm³

Power Output
Time
0.97Kw/1.3hp

Weight
5.6Kg*



FS 120  Petrol Operated

Displacement
30.8cm³

Power Output
Time
1.3Kw/1.8hp

Weight
6.3Kg*



FS 230  Petrol Operated

Displacement
40.2cm³

Power Output
Time
1.55Kw/2.1hp

Weight
7.5Kg*



FS 230 with Cruise Control  Petrol Operated

Displacement
40.2cm³

Power Output
Time
1.55Kw/2.1hp

Weight
7.1Kg*



FS 250  Petrol Operated

Displacement
40.2cm³

Power Output
Time
1.6Kw/2.2hp

Weight
6.3Kg*



FS 350  Petrol Operated

Displacement
40.2cm³

Power Output
Time
1.6Kw/2.2hp

Weight
7.3Kg*



FS 380  Petrol Operated

Displacement
40.2cm³

Power Output
Time
2.0Kw/2.7hp

Weight
7.3Kg*



FS 410  Petrol Operated

Displacement
41.6cm³

Power Output
Time
2.0Kw/2.7hp

Weight
8.4Kg*





FS 460  Petrol Operated

Displacement
44.3cm³

Power Output
Time
2.1Kw/2.9hp

Weight
8Kg*



KA 120  Petrol Operated	KA 250  Petrol Operated
Displacement 30.8cm ³	Displacement 40.2cm ³
Power Output Time 1.3Kw/1.8hp	Power Output Time 1.6Kw/2.2hp
Weight 6.3Kg*	Weight 6.3Kg*

Cutting Tools



2-Teeth grass cutting blade



AutoCut mowing head



Brush Knife



4-teeth grass cutting blade



Circular Saw blade, scratcher tooth



Circular Saw blade, chisel tooth



Circular Saw blade



Shredder Knife



Nylon trimmer lines


Attachments - KA 120 / KA 250



Pick Tine



Bolo Tines



Auto Cut



Brush Knife



Circular Saw Blade



Paddy Harvester Attachment



Paddy Weeder Attachment

Brushcutters



FSA 30

Battery
AS 2
Battery Voltage
10.8V
Battery Running Time
up to 14 mins
Weight
2.1Kg*

FSA 57

Battery
AK 20
Battery Voltage
36V
Battery Running Time
up to 25 mins
Weight
2.4Kg*

FSA 130/135

Battery
AP 300S
Battery Voltage
36V
Battery Running Time
up to 70/100mins
Weight
4.5Kg*



FSE 52

Rated Voltage
230V
Power Output
500W
Weight
2.2Kg*



* Battery runtime

Backpack Brushcutters



FSE 81
Rated Voltage
230V
Power Output
1000W
Weight
4.7Kg*



FR 230
Displacement
40.2cm³
Power Output
1.55Kw/2.1hp
Weight
10.1Kg*



FR 230
with Cruise Control
Displacement
40.2cm³
Power Output
1.55Kw/2.1hp
Weight
10.1Kg*



FR 3001
Displacement
30.5cm³
Power Output
0.81Kw/1.1hp
Weight
9.4Kg*



FT 230
Displacement
40.2cm³
Power Output
2.1hp
Weight
7.5Kg*

* Without Fuel & attachments

Power Weeders



BC 230

Displacement	40.2cm ³
Power Output	1.55Kw/2.1hp
Cultivation Width	30cm
Cultivation Depth	75mm / 3inch
Weight	20kg*



MH 610

Displacement	212cm ³
Max Power	6.0hp
Drive	Belt Drive
Transmission	Forward 2, Reverse 1
Working Depth	5"
Working Width	78cm/2 ½ft
Fuel Tank Capacity	3.6L
Weight	60kg



MH 710

Displacement	252cm ³
Max Power	7.0hp
Drive	Gear Drive
Transmission	Forward 2, Reverse 1
Working Depth	6"
Working Width	97cm/3ft
Fuel Tank Capacity	3.6L
Weight	101kg



* Without Fuel & attachments

Water Pump



WP 230



Displacement	40.2cm ³
Power Output	1.55Kw/2.1hp
Weight	11.3kg*
Max. Head	27 meter
Max. Discharge	250 L/min



WP 300

WP 600

WP 900



Model	WP 300	WP 600	WP 900
Displacement	212cm ³	212cm ³	252cm ³
Power Output	4.4Kw/6.0hp	4.4Kw/6.0hp	5.2Kw/7.0hp
Weight	26kg*	29kg*	38kg*
Max. Head	33 meter	31 meter	34 meter
Max. Discharge	616 L/min	1,050 L/min	1,567 L/min

* Without Fuel & attachments

Handheld Blowers



BG 50



BG 86



Model	Displacement	Weight	Sound Pressure Level*	Sound Power Level*	Vibration Level Right**	Air Throughput***	Max. Air Throughput***	Air Speed****
BG 50	27.2cm ³	3.6Kg*	92dB(A)	105dB(A)	10.5ms ²	700m ³ /h	730m ³ /h	71m/s
BG 86	27.2cm ³	4.4Kg*	90dB(A)	104dB(A)	2.5ms ²	755m ³ /h	810m ³ /h	89m/s

* Without Fuel & attachments

Backpack Blowers



BR 420



BR 550



BR 600



BR 800



Displacement	56.5cm ³
Weight	9.1Kg*
Max. Air Throughput***	1260m ³ /h

Displacement	64.8cm ³
Weight	9.9Kg*
Max. Air Throughput***	1490m ³ /h

Displacement	64.8cm ³
Weight	9.8Kg*
Max. Air Throughput***	1720m ³ /h

Displacement	79.9cm ³
Weight	11.7Kg*
Max. Air Throughput***	2,025m ³ /h

* Without Fuel & attachments

Mistblowers



SR 420

Displacement	Weight
56.5cm ³	11.1Kg*



Petrol Operated



SR 450

Displacement	Weight
63.3cm ³	12.8Kg*



Petrol Operated



SR 5600

Displacement	Weight
56.5cm ³	11.2Kg*



Petrol Operated

* Without Fuel & attachments

Portable Sprayer



SG 230

Displacement	40.2cm ³
Power Output	1.55Kw/2.1hp
Volume Flow Rate	12.2Ltr/min
Working Pressure	5-40bar
Weight	13kg*



Petrol Operated

* Without Fuel & attachments

Handheld Blowers



BGE 81

Rated Voltage	230V
Power Output	1.4kw
Weight	3.3Kg*
Max. Air Throughput***	750m ³ /h
Air Speed****	82m/s



Electric Operated

Handheld Blowers



BGA 60

Battery	Air Speed	Battery Running Time	Weight
AK 30	69m/s	up to 16 min	2.3Kg*



Battery Operated



BGA 86

Battery	Air Speed	Battery Running Time	Weight
AP 300 S	69m/s	up to 21 min	2.8Kg*



Battery Operated



BGA 100

Battery	Air Speed	Battery Running Time	Weight
AR 3000 S	63m/s	up to 395/75 min. (Stage 2/3)	2.5Kg*



Battery Operated



BGA 300

Battery	Air Speed	Battery Running Time	Weight
AR 2000	86m/s	up to 140 min	7.4Kg*



Battery Operated

Backpack Battery (Li-ion)

AR 2000

Battery	AR 2000
Weight	7.8kg
Battery Energy	916wh



AR 3000

Battery	AR 3000
Weight	8.1kg
Battery Energy	1148wh



* Battery runtime

High-Pressure Cleaners



Electric Operated



RE 80X RE 80 RE 90

Entry-Level Range

Model	RE 80X	RE 80	RE 90
Max Pressure	120bar	120bar	130bar
Max. Water Throughput	430L/hr	430L/hr	440L/hr
Power Consumption	1.7kw	1.7kw	2.1kw



RE 100 Plus Control RE 105X RE 110 RE 120 RE 120 Plus

Semi - Professional Range

Model	RE 100 Plus Control	RE 105X	RE 110	RE 120	RE 120 Plus
Max Pressure	150bar	150bar	120bar	140bar	140bar
Max. Water Throughput	450L/hr	430L/hr	440L/hr	500L/hr	500L/hr
Power Consumption	2.1kw	1.7kw	1.7kw	2.1kw	2.1kw



RE 130 Plus RE 140 Plus

Semi - Professional Range

Model	RE 130 Plus	RE 140 Plus
Max Pressure	150bar	180bar
Max. Water Throughput	500L/hr	510L/hr
Power Consumption	2.3kw	2.5kw



RE 150 RE 272 Plus RE 362 RE 362 Plus RE 462 Plus

Professional Range

Model	RE 150	RE 272 Plus	RE 362	RE 362 Plus	RE 462 Plus
Max Pressure	180bar	200bar	250bar	250bar	250bar
Max. Water Throughput	612L/hr	620L/hr	1080L/hr	1080L/hr	1130L/hr
Power Consumption	3.0kw	3.0kw	6.5kw	6.5kw	7.4kw

Vacuum Cleaners



Electric Operated



Electric Operated



Electric Operated

Model	SE 33	SE 62	SE 122
Max. Vacuum	210mbar	210mbar	210mbar
Container Volume	12L	20L	30L
Mains Voltage	230v/50Hz	230v/50Hz	230v/50Hz
Max. Power Consumption	1.4kW	1.4kW	1.5kW
Weight Ready for Operation	5.4kg	7.5kg	12.1kg

ACCESSORIES



Car Set

Wet Vacuuming Set

Coarse Dirt Set



Filter Bag



Extension Tube

Vacuum Cleaners



SEA 20

Model	SEA 20
Battery	AS 2
Running Time	up to 14 min
Weight	1.1Kg*

* Battery runtime



ACCESSORIES



Sweeping Machines



KG 770



Manual



KGA 770



Battery Operated

Model	KG 770 Manual	KGA 770 Battery
Sweep Width	77cm	77cm
Container Capacity	50L	50L
Weight	13Kg*	16Kg*
For Areas Upto	1500m ²	2000m ²

Battery	Battery Running Time
AP 100	up to 84 min
AP 200	up to 168 min
AP 300	up to 210 min

* Battery runtime

Hedge Trimmers

Tea Pruner



HS 45



Petrol Operated

Displacement	27.2cm ³
Power Output	0.75Kw/1.0hp
Weight	4.7kg*
Bar Length	45cm



HS 52



Petrol Operated

Displacement	27.2cm ³
Power Output	0.75Kw/1.0hp
Weight	5kg*
Bar Length	30cm, 60cm




HS 82 R/T



Petrol Operated

Displacement	22.7cm ³
Power Output	0.75Kw/1.0hp
Weight	4.9kg*
Bar Length R	60cm
Bar Length T	50cm, 60cm



Variant R


**Variant R (Cutting)

Wider Tooth Spacing

Gear Transmission Ratio delivers high cutting power

Larger Teeth

For large Volume Pruning & Clearing, heavier Scrub on Large Tough Edges



Variant T

**Variant T (Trimming)

Narrow Tooth Spacing

Gear Transmission Ratio enables a higher stroke rate

Smaller Teeth

For Perfect Trimming and Contouring

* Without Fuel & attachments

Long Reach Hedge Trimmer



HL 94

Displacement	24.1cm ³
Power Output	0.9Kw/1.2hp
Weight	6.1kg*
Total Length	242cm

* Without Fuel & attachments



Petrol Operated

Pole Pruners



HT 75

Displacement	25.4cm ³
Power Output	0.95Kw/1.3hp
Weight	6.6kg*
Reach From Ground	5m

Hedge Trimmers



Electric Operated

HSE 42

Rated Voltage	230V
Power Output	420W
Weight	3.0kg*
Total Length	45cm



Electric Operated

HSE 52

Rated Voltage	230V
Power Output	460W
Weight	3.1kg*
Total Length	45cm



Electric Operated

HSE 71

Rated Voltage	230V
Power Output	600W
Weight	4.1kg*
Total Length	70cm



Electric Operated

HSE 81

Rated Voltage	230V
Power Output	650W
Weight	4.1kg*
Total Length	70cm

* Without Fuel & attachments

Handheld Pruner & Shrub Shear



Battery Operated

GTA 26

Voltage	10.8V
Battery Energy	28wh
Battery Running Time	up to 25min
Weight	1.2Kg*



Battery Operated

HSA 26

Voltage	10.8V
Battery Energy	28wh
Battery Running Time	up to 110min
Weight	0.8Kg*



Battery Operated

HSA 30

Battery	AS2
Battery Running Time	up to 50min
Weight	2.2kg*

* Battery runtime

Hedge Trimmers



Battery Operated

HSA 40

Battery	As2 (Double)
Battery Running Time	up to 80 min
Weight	2.3kg*



Battery Operated

HSA 50

Battery	AK10/20/30
Battery Running Time	up to 50/100 /120 min
Weight	2.9kg*



Battery Operated

HSA 86

Battery	AP 200
Battery Running Time	up to 120 min
Weight	3.0kg*

* Battery runtime

Long Reach Hedge Trimmer


Pole Pruners



HLA 86	
Battery	AP 300 S
Battery Running Time	up to 180min
Weight	4.8kg*
Energy Content	227wh
Total Length	260-330cm



HTA 66	
Battery	AP 300 S
Battery Running Time	up to 55 min
Weight	3.3Kg*
Total Length	240cm
Reach From Ground	3.2m



HTA 86	
Battery	AP 300 S
Battery Running Time	up to 55 min
Weight	4.6Kg*
Total Length	270-390cm
Reach From Ground	5m

* Battery runtime

Earth Augers



BT 131	
Displacement	36.3cm ³
Power Output	1.4Kw/1.9hp
Auger Sizes	40mm to 300mm
Weight	10kg*



BT 230	
Displacement	40.2cm ³
Power Output	1.55Kw/2.1hp
Auger Sizes	100/150/200/300mm
Weight	10.9kg*

Max. Torque (Nm/RPM) - 1.9/6000

* Without Fuel & attachments

Concrete Cutter



GS 461			
Displacement	Power Output	Weight	Cutting Depth
76.5cm ³	4.3Kw/5.8hp	7.6Kg*	15.7cm

* Without Fuel & attachments

Multi Tools

MM 56 Multi Engine



Working Width	27.2cm
Power Output	0.85Kw/1.2hp
Weight	8.25Kg

* Without Fuel & attachments

Attachments



BK-MM Bolo Tines	
Working Width	22cm
Weight	2.0Kg



BK-MM Pick Tines	
Working Width	22cm
Weight	2.0Kg



KB-MM Bristle Brush	
Working Width	60cm
Weight	4.2Kg



MF-MM Dethatcher	
Working Width	50cm
Weight	8.3Kg



RL-MM Aerator	
Working Width	20cm
Weight	2.0Kg



KB-MM Power Brush	
Working Width	60cm
Weight	3.7Kg



FC-MM Edge Trimmer	
Weight	0.8KgKg

Harvester - Palm Cutter



SICKLE

CHISEL



Model	PC 70	PC 75
Displacement	25.4cm ³	25.4cm ³
Power	0.95kw/1.3hp	0.95kw/1.3hp
Weight	6.2Kg	8.4Kg
Reach From Ground	3meter	5.5meter
Standard Length	212cm	290cm/390cm
Cutting Attachment	Chisel / Sickle	Chisel / Sickle

* Without Fuel & attachments

Vacuum Shredders

SH 86



Model	SH 86
Displacement	27.2cm ³
Weight	6.2Kg
Sound Pressure Level	93dB(A)
Sound Power Level	106 dB(A)
Vibration Level Right	2.5/1.9 m/s ²
Air Throughput	770m ³ /h

* Without Fuel & attachments

SHE 71



Model	SHE 71	SHE 81
Rated Voltage	230V	230V
Engine Power	1.1kw	1.4kw
Weight	4.1Kg	4.4Kg
Sound Pressure Level	85 dB(A)	88 dB(A)
Sound Power Level	101 dB(A)	103 dB(A)
Vibration Level Right	1.2/0.8 m/s ²	5.6/2.6 m/s ²
Air Throughput	580m ³ /h	650m ³ /h

SHE 81



ACCESSORIES



Cut-Off Saws

TS 420



TS 800



Model	TS 420	TS 800
Displacement	66.7cm ³	98.5cm ³
Power Output	3.2kw/4.4hp	5.0kw/6.8hp
Weight	9.6Kg*	12.7Kg*
Cutting Wheel Dia	300/350mm	300/350/400mm
Cutting Depth	100/125mm	100/125/145mm

* Without Fuel & attachments



TSA 230



Model	TSA 230
Weight Without Battery	3.9kg
Battery Running Time (AP300)	18min
Battery Running Time Back Pack (AR 3000)	95min
Cutting Wheel Dia	230mm
Cutting Depth	70mm

* Battery runtime

Lawn Mowers



Model	RM 248	RM 253 T	RM 3 RT
Engine Displacement	139cm ³	150cm ³	166cm ³
Horse Power	2.8 HP	3.0HP	3.5 HP
Cutting Width	18"	20"	18"
Collector Volume	55L	55L	30 Kg*

Model	RME 235	RME 443
Motor Capacity	1200W	1500W
Cutting Width	13"	16"
Collector Volume	30L	55L

* Without Fuel & attachments

Engines



Multipurpose Stationary Engines



Model	EHC 605 S
Engine Displacement	212
Horse Power	4.4 kW / 6.0 HP
Weight	15.7kg



Model	EHC 705 S
Engine Displacement	252
Horse Power	5.2 kW / 7.0 HP
Weight	17.3kg

Tiller Engines



Model	EHC 600 T
Engine Displacement	212
Horse Power	4.4 kW / 6.0 HP
Weight	16kg



Model	EHC 700 T
Engine Displacement	252
Horse Power	5.2 kW / 7.0 HP
Weight	18.2kg

Your Nearest Authorized Servicing Dealer



STIHL UPKARAN, LAYE PARIVARTAN

*Images are used for representative purpose only

** Specifications can change without prior notice.

Call or Whatsapp

90284 11222

STIHL INDIA



info@stihl.in www.stihl.in

German Quality and Innovation

